Notice of Allowability	Application No.	Applicant(s)	
	10/678,630	LONG ET AL.	
	Examiner	Art Unit	
	Edgardo San Martin	2837	
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT I of the Office or upon petition by the applicant. See 37 CFR 1.31	S (OR REMAINS) CLOSED in this ap 5) or other appropriate communication RIGHTS. This application is subject t	plication. If not include n will be mailed in due	ed course. THIS
1. $igspace$ This communication is responsive to <u>the Amendment file</u>	<u>d on April 22, 2004</u> .		
2. X The allowed claim(s) is/are 14-20 and 22-28.			
3. $igotimes$ The drawings filed on <u>03 October 2003</u> are accepted by t	the Examiner.		
4.	ve been received. ve been received in Application No locuments have been received in this if of this communication to file a reply MENT of this application. mitted. Note the attached EXAMINER ves reason(s) why the oath or declara ust be submitted. rson's Patent Drawing Review (PTO r's Amendment / Comment or in the (1.84(c)) should be written on the drawi the header according to 37 CFR 1.121(losit of BIOLOGICAL MATERIAL	complying with the receives AMENDMENT or Nation is deficient. -948) attached Office action of lings in the front (not the (d). must be submitted. N	quirements OTICE OF
 Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB. Paper No./Mail Date 4/22/04 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	Paper No./Mail Da 7. Examiner's Amend 8. Examiner's Stateme 9. Other SUPERVISORY	r (PTO-413), tte ment/Comment	·

DETAILED ACTION

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Steven N. Terranova on April 28, 2004.

- 1. The application has been amended as follows:
 - In claim 14, line 11 after "adapted" delete "receiver" and insert - to
 receive -;
 - In claim 22, line 1 delete "21" and insert - 14 -;
 - In claim 28, line 18 after "adapted" delete "receiver" and insert - to receive -.

Information Disclosure Statement

- 2. The Examiner has not considered the following references cited in Form PTO 1449 filed by the Applicant on April 22, 2004:
 - US Pat. 4,285,210, US Pat. 4,984,445, US Pat. 5,961,289, and US Pat. 6,026,866;
 - Non-Patent Literature titled "Brushless DC Cross Flow Fan CFS Series".

The Examiner considers that the abovementioned references are not relevant. and not even related to the art encompassed by the current application.

Allowable Subject Matter

3. Claims 14 – 20 and 22 – 28 are allowed.

The following is an examiner's statement of reasons for allowance:

The references of the Prior Art of record fail to teach, or suggest any obvious combination of the limitations discussed in the previous Office Action mailed on March 24, 2004, and further comprising the limitations in combination (With respect to claims 14 and 28) of the semi-rigid lens being attached to a thin semi-rigid surface or membrane that is attached to the outside of the enclosure.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Contact Information

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Edgardo San Martin whose telephone number is (571) 272-2074. The examiner can normally be reached on 8:00AM - 5:00PM.

Application/Control Number: 10/678,630 Page 4

Art Unit: 2837

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Martin can be reached on (571) 272-2107. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Edgardo San Martín Patent Examiner Art Unit 2837 Class 181 April 28, 2004